



Certificate of Analysis

Compliance Test

Client Information:

The Brewing Project

1807 N Oxford

Eau Claire, Wisconsin 54703

Order # THE250530-010001

Order Date: 2025-05-30

Sample # AAGT796

Batch # BATCH 4 / 1467

Batch Date: 2025-05-27

Extracted From: Hemp

Test Reg State: Georgia

Production Facility: The Brewing Project

Production Date: 2025-05-27

Sampling Date: 2025-06-04

Lab Batch Date: 2025-06-04

Completion Date: 2025-06-11

Density: 1 g/ml

Volume: 355 ml



Product Image



Potency
Tested

HHCP

HHCP
Tested

Potency (LCUV) (GA)

Specimen Weight: 340000.000 mg

Tested

SOP13.001 (LCMS)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
Delta-9 THC	8.000	1.30E-5	0.0015	30.4000	0.00304
CBD	8.000	5.40E-5	0.0015	14.6700	0.001467
CBG	8.000	2.48E-4	0.0015	0.7190	7.19E-5
CBDA	8.000	1.00E-5	0.0015	<LOQ	<LOQ
CBGA	8.000	8.00E-5	0.0015	<LOQ	<LOQ
CBN	8.000	1.40E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	8.000	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	8.000	2.60E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	8.000	7.70E-5	0.003	<LOQ	<LOQ
Exo-THC	8.000	2.30E-4	0.0015	<LOQ	<LOQ
Total Active CBD	8.000			0.015	0.001467
Total Active THC	8.000			0.030	0.00304



Potency Summary

Total HHC	ND	Total Active THC	10.792mg
0.001467%	5.208mg	Total CBG	0.256mg
Total CBN	ND	Total Cannabinoids	16.255mg
0.00304%	10.792mg		

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

The Brewing Project

1807 N Oxford

Eau Claire, Wisconsin 54703

Order # THE250530-010001

Order Date: 2025-05-30

Sample # AAGT796

Batch # BATCH 4 / 1467

Batch Date: 2025-05-27

Extracted From: Hemp

Test Reg State: Georgia

Production Facility: The Brewing Project

Production Date: 2025-05-27

Sampling Date: 2025-06-04
Lab Batch Date: 2025-06-04
Completion Date: 2025-06-11

Density: 1 g/ml
Volume: 355 ml

HHCP HHCP

Specimen Weight: 340000.000 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 4000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	30.4000	3.04
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

